

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently amended) A dryer comprising:

a drum for drying clothes;

a rack detachably mounted to an inside of the drying drum for placing a drying object thereon; and

at least one drying stick for supporting the drying object spaced a predetermined distance from the rack, wherein the drying stick is formed to be extended upward from the rack, and has an upper end bent in a “⌒” shape with a flat upper surface, or the dryer further comprises a seating plate at an end of the drying stick for seating the drying object thereon.
2. (Previously Presented) The dryer as claimed in claim 1, wherein the rack includes;

a seat having a plurality of pass through holes for pass through of drying air; and

a securing portion for supporting the seat spaced from a predetermined distance from an inside circumferential surface of the drying drum.
3. (Original) The dryer as claimed in claim 1, wherein the drying stick is detachable from the rack.
4. (Canceled)

5. (Canceled)

6. (Currently Amended) The dryer as claimed in claim [[5]] 1, further comprising a branch stick having one end fixedly secured to a side of the drying stick, and the other end supporting the seating plate.

7. (Previously Presented) The dryer as claimed in claim 6, wherein the branch stick is formed as one body with the drying stick.

8. (Previously Presented) The dryer as claimed in claim 6, wherein the end of the drying stick and the end of the branch stick are at the same height.

9. (Canceled)

10. (Canceled)

11. (Currently Amended) A dryer comprising:
a drum for drying clothes;
a seat having a plurality of pass through holes for pass through of drying air;
a securing portion for supporting the seat spaced from a predetermined distance from an inside circumferential surface of the drying drum; and
a drying stick at the seat for drying the drying object in a space spaced a distance from the seat wherein the drying stick is detachably mounted to be projected upward from the seat and has an upper end bent in a “⌢” shape with a flat upper surface, or the dryer further comprises a seating plate at an end of the drying stick for seating the drying object thereon.

12. (Canceled)

13. (Previously Presented) The dryer as claimed in claim 11, further comprising a branch stick at one side of the drying stick, the branch stick being branched in a direction different from the drying stick.

14. (Previously Presented) The dryer as claimed in claim 13, wherein both the drying stick and the branch stick have ends at the same height.

15. - 17. (Canceled)